

### **Amendments to the Claims**

1-20. (Cancelled)

21. (New) A method of forming a biodegradable laminate sheet which comprises a non-stretched polylactic acid-family resin layer of which the crystallinity is 20% or less, and a layer comprising a biodegradable resin other than a polylactic acid-family resin having a glass transition temperature of 0°C or less and a melting point of 80°C or higher, wherein said method comprises forming said biodegradable laminate sheet at a temperature higher than the melting point of said biodegradable resin other than a polylactic acid-family resin.

22. (New) A method according to claim 21, wherein said biodegradable laminate sheet comprises outer layers comprising said biodegradable resin other than a polylactic acid-family resin, and at least one non-stretched layer comprising said polylactic acid-family resin sandwiched between said outer layers.

23. (New) A method according to claim 21, wherein said biodegradable laminate sheet comprises non-stretched outer layers comprising said polylactic acid-family resin, and at least one layer comprising said biodegradable resin other than a polylactic acid-family resin sandwiched between said outer layers.

24. (New) A method according to claim 21, wherein said non-stretched polylactic acid-family resin layer and said layer comprising a biodegradable resin other than a polylactic acid-family resin are laminated by co-extrusion.

25. (New) A method according to claim 22, wherein said non-stretched polylactic acid-family resin layer and said layer comprising a biodegradable resin other than a polylactic acid-family resin are laminated by co-extrusion.

26. (New) A method according to claim 23, wherein said non-stretched polylactic acid-family resin layer and said layer comprising a biodegradable resin other than a polylactic acid-family resin are laminated by co-extrusion.

27. (New) A formed body formed by the method as claimed in claim 21.

28. (New) A formed body formed by the method as claimed in claim 22.

29. (New) A formed body formed by the method as claimed in claim 23.

30. (New) A formed body formed by the method as claimed in claim 24.

31. (New) A formed body formed by the method as claimed in claim 25.

32. (New) A formed body formed by the method as claimed in claim 26.